PRODUCT CATALOG





LEGENDARY SECURITY STYLE DURABILITY VERSATILITY EASE




OVER 20 YEARS IN THE RETRACTABLE TRUCK BED COVER BUSINESS

We take pride in our company's reputation for providing the most innovative and highest quality products, backed by superior customer service and prompt product availability. We've spent more than 20 years focused on nothing else, and we take great satisfaction in striving for excellence in the retractable truck bed cover market.



ANATOMY OF A RETRAX COVER






Sealed ball-bearing rollers are mounted onto each section. This allows the retractable cover to open and close easily with one hand, without the need for pull straps, Velcro, snaps or springs. Ball-bearings provide smooth operation, preventing the cover from binding when opening or closing.

Every Retrax cover ships with an instruction kit, an Allen wrench, and a set of keys. The drain tube kit is located in a plastic bag in the cover box. The clamp kit contains all necessary screws and will be found in the rail box.

DRIVER RAIL



SPIRAL CANISTER



itself as it opens and closes.

LEGENDARY



STYLE

Retrax covers feature a low-profile patented design that streamlines the overall appearance and provides a tight seal.



SECURITY

Retrax covers can be locked in any position along the rail and are secured with their own keys.



DURABILITY

Retrax covers are manufactured from reinforced polycarbonate or heavy-duty aluminum slats, which are connected by durable and flexible hinges to create a strong seal. This unique construction is sure to keep your cargo safe and secure in the most extreme elements.



FLEXIBILITY


Retrax covers feature a unique spiral track storage canister that prevents the cover from rubbing on itself as it retracts and closes, and won't obstruct your cargo when vou need it.



C EASE

Retrax covers glide easily thanks to sealed ball bearings.

















RETRAXONE MXPOLYCARBONATE BED COVER

The **RetraxONE MX** combines strong and durable single-piece polycarbonate material with a stylish scratch resistant matte black finish. The ONE MX easily glides on its sealed ball bearings, making it the most easy-to-use retractable bed cover on the market, and matte finish gives it the look to match.

- Matte one-piece construction
- Key lockable in any position
- Spiral track storage system
- Glides easily on sealed ball bearings
- **UV** protected















RETRAXONE XR

POLYCARBONATE BED COVER


The **RetraxONE** XR combines strong, durable polycarbonate with a powerful and incredible scratch resistant matte finish, paired with a low-profile patented design. The XR Series, featuring the **Trax Rail System**, allows you to optimize cargo capacity with the cover open or closed, providing the ultimate versatility in cargo management. The Trax Rail System will work with most T-slot accessories from Rhino Rack®, Yakima®, Thule®, and many more, offering endless possibilities.

- Easy installation
- Pairing the Trax Rail System with accessories offers double the cargo capacity*
- Glides easily on sealed ball bearings
- Polycarbonate one-piece construction with a stylish matte finish
- Lockable in any position
 - * Accessories sold separately





PREMIUM ALUMINUM ISERIES















RETRAXPRO MX ALUMINUM BED COVER

The RetraxPRO MX represents the powerful, durable evolution of retractable truck bed covers. Constructed of heavy-duty aluminum slats for the utmost strength and covered in a matte black powdercoat finish for superior style, the RetraxPRO MX offers the best of both worlds when looking for style and functionality. Backed by the industry's strongest warranty with our Legendary Lifetime Guarantee.

- Aluminum slat construction with matte black finish
- Key lockable in any position
- Spiral track storage system
- Flush front cover
- Glides easily on sealed ball bearings
- **Full bed access**















RETRAXPRO XR


ALUMINUM BED COVER

The **RetraxPRO** XR, our premium Aluminum Series cover, combines industrial strength aluminum construction with an incredibly resilient matte finish. The XR Series, featuring the **Trax Rail System**, allows you to optimize cargo capacity with the cover open or closed, providing the ultimate versatility in cargo management. The Trax Rail System will work with most T-slot accessories from Rhino Rack®, Yakima®, Thule®, and many more offering endless possibilities.


- Aluminum slat construction with a stylish matte finish
- Pairing the Trax Rail System with accessories offers double the cargo capacity*
- Glides easily on sealed ball bearings
- · Easy installation
- · Lockable in any position
 - * Accessories sold separately







Integrated Trax Rail System allows for unique and personal customization above the cover.







WHAT IS THE TRAX RAIL SYSTEM?

The XR Series of covers feature a special T-slot rail, called the Trax Rail System, allowing you to mount accessories on top of your truck bed cover. The Trax Rail System will work with most T-slot accessories from Rhino Rack®, Yakima®, Thule®, and many more, offering endless possibilities.

Pairing the Trax Rail System with accessories offers double the cargo capacity. This unique technology frees up the hitch with the ability to mount bikes, coolers, outdoor gear and more on top of the bed cover.

BIKES
BASKETS
TENTS
CANOES
COOLERS
FISHING POLES
SKIS
SNOWBOARDS
AND MORE!

POWERTRAX





COVERS AVAILABLE IN POWER

Not available in 8' bed size







POWER AT YOUR FINGERTIPS

The PowerTrax series features the same benefits of the manual covers, but allows for hands-off operation via wireless remote control.

PowerTrax covers lock in any position using an electromagnetic brake and include an integrated cargo light located on the spiral canister.

- Powered directly by your truck
- Spiral track storage system
- Flush front cover
- Glides easily on sealed ball bearings
- · Automotive-grade weather strips
- LED light featuring an auto shutoff



RAIL OPTIONS

WIDE RAIL OPTION

(Available for full-size GMC/Chevy)

We provide a wide rail option for most GMC/Chevy models (see figures to the right). The wide rail option covers the stake pockets for a sleek, finished look.

STAKE POCKET CUT-OUT OPTION

(Available for many models)

The stake pocket cut-out options allows for total access of the pickup's factory stake pockets. The Retrax rails are notched at the factory for use with tie downs or ladder racks. (This option is not required for use with most after-market bed rails.)

TRAX RAIL SYSTEM

(Available for many models)

The Trax Rail System will work with most T-slot accessories from Rhino Rack®, Yakima®, Thule®, and many more offering endless possibilities. The Trax Rail System allows you to optimize cargo capacity with the cover open or closed, providing the ultimate versatility in cargo management.



USE INSTRUCTIONS

OPENING AND USING THE COVER

Using your Retrax cover is as simple as opening the lock cover and pressing the button to pop open the handle.

If properly installed, the cover should be able to roll open and closed easily with one hand. During the break-in period, more effort may be needed, but you still should be able to roll the cover open.



CLOSING AND LOCKING THE COVER

To latch your cover anywhere along the rail, push down firmly on the end of the lock handle using both thumbs.

It takes this amount of force because it is a friction lock in any open position. The Retrax cover is easier to latch in the fully closed position due to a recess in the rail.



SECURING LOOSE CARGO

Retrax covers make transporting loose and large pieces of cargo safe and secure, which is a unique feature that most tonneau covers cannot claim. To help secure any item too big to fit under the cover, latch the lock handle shut against the item to help keep it in place.

CAUTION! All large and heavy cargo must be secured by straps, etc. Retrax is not responsible for shifting cargo.



CLEANING AND CARE

Treat your cover like you would treat the hood of your truck; you can wash your cover like you would your pickup. The weatherstripping on your cover may absorb soapy residue from a car wash, we recommend wiping down the inside of your rails from time to time.

CAUTION! Never spray any lubricant or cleaner in the rails. This will void your warranty. The ball bearings are sealed and will not need any lubricant.



RETRAXONE SERIES PRODUCT FEATURES AND BENEFITS



ROLLING COVER

A durable thermoplastic commonly known as LEXAN $^{\tiny\textcircled{\tiny{\$}}}$ that is UV treated for protection from the sun.

STRENGTH

The cover is reinforced with up to 20 tempered aluminum support beams embedded every 4 3/4", which will hold 200 lbs. and can easily support heavy snow loads. The cover is strong enough to stand on (not recommended).

RETRACTION SYSTEM

Sealed ball-bearing rollers mounted onto each end of the aluminum support beams allow the cover to retract or close easily without the use of springs or any kind of mechanism. Anti-bind ball-bearings mounted horizontally prevent the cover from binding as it is opened or closed.

SPIRAL STORAGE SYSTEM

Unique spiral track system that prevents the cover from contacting itself as it retracts, which eliminates wear-and-tear on the cover. No moving parts to jam, freeze or fail.

LOCKING POSITIONS

Cover can be latched or key locked in any position along the rail. Tailgate works independently of the rolling cover.

OPENING/CLOSING

The flush-mounted lock handle, located at the rear on the driver's side, provides easy access when opening and closing the cover.

TAILGATE AREA

Retrax covers overlap the top of the tailgate, utilizing an automotive grade weather strip.

WEATHER PROTECTION

The patented Retrax low-profile design uses a front cover that is flush with the rolling cover; this streamlines the overall appearance and provides a firm, dependable seal to help keep the bed dry. This design incorporates automotive grade weather strip to help keep water, snow, ice and dust out of the bed.

MAINTENANCE

No special maintenance required. Wash the cover like you would the hood of your truck.

CUSTOMER SERVICE

A Retrax cover will provide you with the security and convenient cargo protection that you deserve. Our commitment to you doesn't stop there; we pledge top quality customer service and provide highly trained technicians. You can count on us now and years on down the road, that's just the way we do business.

THE COMPETITION

Vinyl glued or stapled to aluminum slats.

The cover will withstand a concentrated load of about 120 lbs. A light snow load is tolerated.

Top and bottom rail wear strips.

Cover rolls up on top of itself on a spring loaded drum similar to a window shade.

Intermittent locking positions every 12 inches. Tailgate works independently of the rolling cover.

Reach to the center of the cover and grab a tow strap, walk back to the truck and pull the cover back.

The cover meets up with the inside face of the tailgate. Water runs down the inside face of the tailgate.

Water is channeled to the rails and canister. The water must try to pass through 2 small drain tubes to exit the bed.

Requires treatment with a vinyl protectant. Should be applied each time you wash your truck.

??

RETRAXPRO SERIES PRODUCT FEATURES AND BENEFITS



ROLLING COVER

Heavy duty aluminum slats which are connected by flexible thermoplastic elastomer hinges create a durable and weather tight seal.

STRENGTH

The Premium Aluminum Series is constructed of heavy-duty aluminum slats, that are strong enough to hold distributed loads of 500+ lbs. and can easily support heavy snow.

RETRACTION SYSTEM

Up to forty (40) sealed ball-bearing rollers mounted onto each end of the aluminum slats allow the cover to retract or close easily without the use of springs or any kind of mechanism. Anti-bind ball-bearings mounted horizontally prevent the cover from binding as it is opened or closed.

SPIRAL STORAGE SYSTEM

Unique spiral track storage canister that prevents the cover from rubbing on itself as it retracts, eliminating wear and tear on the cover. No moving parts to jam, freeze or fail.

LOCKING POSITIONS

Cover can be latched or key locked in any position along the rail. Tailgate works independently of the rolling cover.

OPENING/CLOSING

The flush-mounted lock handle, located at the rear on the driver side, provides easy access when opening and closing the cover.

TAILGATE AREA

Retrax covers overlap the top of the tailgate, utilizing an automotive grade weather strip.

WEATHER PROTECTION

The patented Retrax low-profile design uses a front cover that is flush with the rolling cover; this streamlines the overall appearance and provides a firm, dependable seal to help keep the bed dry. This design incorporates automotive grade weather strip to help keep water, snow, ice and dust out of the bed.

MAINTENANCE

Premium Aluminum Series covers are maintenance free. Simply wash your cover as you would your truck.

CUSTOMER SERVICE

A Retrax cover will provide you with the security and convenient cargo protection that you deserve. Our commitment to you doesn't stop there; we pledge top quality customer service and provide highly trained technicians. You can count on us now and years on down the road, that's just the way we do business.

THE COMPETITION

Vinyl glued or stapled to aluminum slats.

The cover will withstand a concentrated load of about 120 pounds. A light snow load is tolerated.

Top and bottom rail wear strips.

Cover rolls up on top of itself on a spring loaded drum similar to a window shade.

Intermittent locking positions every 12 inches. Tailgate works independently of the rolling cover.

Reach to the center of the cover and grab a tow strap, walk back to the truck and pull the cover back.

The cover meets up with the inside face of the tailgate. Water runs down the inside face of the tailgate.

Water is channeled to the rails and canister. The water must try to pass through 2 small drain tubes to exit the bed.

Requires treatment with a vinyl protectant. Should be applied each time you wash your truck.

??

COVER COMPARISON CHART

	RETRAXONE MX	POWERTRAXONE MX	RETRAXONE XR	POWERTRAXONE XR
Starting Price	\$1299	\$1995	\$1399	\$2099
Cover Material	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Cover Finish	Matte	Matte	Matte	Matte
Warranty	1-year full after first year Limited Lifetime	3-year full after third year Limited Lifetime	1-year full after first year Limited Lifetime	3-year full after third year Limited Lifetime
Locking Position	Latch or key locking anywhere along the rail	Latch anywhere along the rail via electromagnetic brake	Latch or key locking anywhere along the rail	Latch anywhere along the rail via electromagnetic brake
Locking Mechanism	Single point latch locking mechanism	Electromagnetic brake	Single point latch locking mechanism	Electromagnetic brake
Rack Compatibility	No	No	Yes	Yes

FATURES

MATTE POLYCARBONATE

- Constructed from rigid one-piece polycarbonate, reinforced with aluminum support rods
- Textured matte finish
- Incredibly scratch resistant
- Ultimate UV protection
- Supports loads of 200 lbs

COVER COMPARISON CHART

	RETRAXPRO MX	POWERTRAXPRO MX	RETRAXPRO XR	POWERTRAXPRO XR
Starting Price	\$1829	\$2599	\$1929	\$2699
Cover Material	Aluminum	Aluminum	Aluminum	Aluminum
Cover Finish	Matte	Matte	Matte	Matte
Warranty	Legendary Lifetime Guarantee	3-year full after third year Limited Lifetime	Legendary Lifetime Guarantee	3-year full after third year Limited Lifetime
Locking Position	Latch or key locking anywhere along the rail	Latch anywhere along the rail via electromagnetic brake	Latch or key locking anywhere along the rail	Latch anywhere along the rail via electromagnetic brake
Locking Mechanism	Dual latch locking mechanism	Electromagnetic brake	Dual latch locking mechanism	Electromagnetic brake
Rack Compatibility	No	No	Yes	Yes

FEATURES

MATTE ALUMINUM

- Aluminum slat construction
- Textured matte finish
- Incredibly scratch resistant
- Ultimate UV protection
- Supports loads of 500 lbs.



Legendary Lifetime Warranty available on the RetraxPRO MX and the RetraxPRO XR covers.



SALES AIDS

DISPLAY HEADERBOARD



RETRAXPRO MX PART # 89002



RETRAXONE MX Part # 69002



RETRAXPRO MX TRAVELING DISPLAY PART #89100

RETRAXONE MX TRAVELING DISPLAY PART #69100



FLOOR DISPLAY

RETRAXONE MX PART # 69000

RETRAXPRO MX PART # 89000

RETRAXONE XR PART # T-69000


RETRAXPRO XR PART # T-89000



SALES AIDS




RETRAXPRO MX SAMPLE PIECE PART # 49006



RETRAXONE MX SAMPLE PIECE PART # 69012



RETRAX INDOOR/OUTDOOR BANNER (3' X 5') PART # 19005



RETRAX CATALOG PART # 19009



RETRAX BROCHURE Part # 19004



COUNTER TOP DISPLAY PART # 19010

RETRAX MX UPFIT KIT

Upgrade Your Existing Retrax Floor Display to feature Retrax MX!

Kit Includes:

- Rails
- Rolling Cover
- Canister
- MX Headboard
- MX Brochures

RETRAXPRO MX UPFIT KIT Part # 89101

RETRAXONE MX UPFIT KIT PART # 69101

RETRAXONE XR UPFIT KIT PART # T-69101

DEED 1 VD 10 1

RETRAXPRO XR UPFIT KIT PART # T-89101

XR UPFIT KITS INCLUDE:

- DRIVER SIDE TRAX RAIL
- HEADBOARD

RETRAX WARRANTY STATEMENT

Retrax (referred to as manufacturer) warrants each new Retrax retractable pickup bed cover to the original owner (nontransferable) as follows:

RetraxONE MX, PowertraxONE MX, PowertraxPRO MX, RetraxONE XR, PowerTraxONE XR, and PowerTraxPRO XR have a limited lifetime warranty for the failure of materials and workmanship.

Warranty replacement costs will be prorated after one (1) year for the RetraxONE MX, and RetraxONE XR, and three (3) years for the PowerTraxONE MX, PowerTraxPRO MX, PowerTraxONE XR and PowerTraxPRO XR.

The RetraxPRO MX, and RetraxPRO XR feature the Legendary Lifetime Guarantee for the failure of materials and workmanship. Warranty replacements will be issued at no cost for the life of the cover to the original owner.

ITEMS NOT COVERED UNDER THE WARRANTY

- · Normal wear over the life of the Retrax cover
- Water intrusion at any location or any damage caused as a result
- Other dealer and/or purchaser installed parts and accessories
- Acts of God or other external causes
- Refer to rack system's owner guide for rack system warranty

CONDITIONS THAT WILL VOID ALL WARRANTY

- Lubrication of the rails or sealed ball bearings
- Altering the Retrax cover in any manner without written approval from the manufacturer
- Use for any purpose other than the normal intended use
- · Misuse, negligence or accident
- Installation of any other part or accessory that comes in contact with, or may interfere with, the Retrax cover without written approval of the manufacturer
- Failure to register this warranty with the manufacturer within thirty (30) days from the date of delivery
- Failure to adequately secure cargo to prevent damage to the Retrax cover

CONDITIONS AND LIMITATIONS

This warranty is subject to certain conditions and limitations including, but not limited to, the following:

- Any part of a Retrax retractable pickup bed cover that is found to be defective under the terms of this warranty will be repaired or replaced, using either new or reconditioned parts, at the discretion of the manufacturer.
- In determining what constitutes a failure under the terms of this warranty, the decision of the manufacturer will be final.
- This warranty is applicable to the original purchaser only and is not transferable to subsequent purchasers.
- The manufacturer does not accept any responsibility in connection with the installation of any of its products by its dealers or agents.
- Without regard to an alleged defect of its products, the manufacturer does not, under any circumstances, assume responsibility for inconvenience, loss of time, revenue or other consequential damage including, but not limited to, expenses for telephone, food, lodging, travel, loss or damage to the vehicle the products are installed on or loss or damage to personal property of the purchaser or user of the products.
- The manufacturer does not undertake responsibility to any purchaser for warranty expressed or implied by any of its dealers, distributors or agents beyond what is contained herein.
- The manufacturer reserves the right to make changes in the design of, improvements to, or warranty of its products without imposing any obligation upon itself to provide the same for any products theretofore manufactured.
- Under no circumstances shall Retrax be liable for special, indirect, incidental or consequential damages sustained in connection with the Retrax model covers.

HELPFUL HINTS FOR KEEPING YOUR COVER LOOKING AND WORKING LIKE NEW

The Retrax bed cover should slide open and closed easily. Do not force the cover open or closed. Please call Retrax at (800) 206-4070 before attempting any maintenance or repairs.

Care should be taken when setting any items on the cover. If the cover is dusty or an item is dragged across the cover, scratching or hazing may occur. Treat your Retrax bed cover like the hood of your pickup. Do not wipe dust off the cover; it should be washed off.

With proper care, the polycarbonate cover will last for many years. It should be cleaned with mild soap and water. Do not use any strong chemicals or cleaners of any kind. Do not allow gasoline to come in contact with the cover.

Every effort has been made to make the Retrax weathertight; however, the Retrax is not waterproof. Use extra care to prevent damage to items during severe weather conditions or while entering a car wash. Water may collect on the cover; remove water before opening.

Do not force your Retrax open if ice forms on your bed cover after an ice storm or car wash. You should use your hand to tap around the perimeter of the cover, which should free up the weather stripping that seals the bed cover along the edges.

Lock de-icer can be used to free up the key lock. Do not allow de-icer to make contact with the bed cover. Dry graphite can be applied to the lock assembly to help prevent freezing.

Some states do not allow limitations on how long the implied warranty lasts, so the aforementioned limitations may not apply to you.

CLAIM PROCEDURE

If a part fails, the purchaser should return to the selling dealer to determine if the failed part is covered under the terms of this warranty. If a warranty claim is necessary, the dealer will contact Retrax. If it is impractical for the purchaser to return to the selling dealer, then the purchaser may contact Retrax directly at (800) 206-4070. The defective part, along with a copy of the original bill of sale, must be returned prepaid to Retrax at 917 S. 46th St., Grand Forks, ND 58201. At the manufacturer's discretion, photos, a copy of the original bill of sale and the serial number may be submitted in lieu of the returned damaged product to Retrax. After determining the validity of the warranty claim, Retrax will ship a replacement part prepaid to the customer. Labor costs to replace defective parts are the responsibility of the purchaser.

If at any time you need warranty assistance, please call (800) 206-4070 or email us at retrax@retrax.com, and one of our technical reps will be happy to help you. When calling or emailing, please be prepared to reference your part number and serial number.





retrax.com • 917 S. 46th St. Grand Forks, ND 58201 • 800-206-4070

